

# Barn och ungdomar som utmanar

Referenser

## Referenser till bilaga 1

- Guyatt, G., Rennie, D., Meade, M. O., & Cook, D. J. (2008). Users' guide to the medical literature. Essentials of evidence-based clinical practice. 2nd Ed. New York: The Mc Graw Hill Companies.
- Haynes, R. H., Devereau, P. J. & Guyatt, G. H. (2002). Physicians' and patients choices in evidence based practice: Evidence does not make decisions, people do. British Medical Journal, 324, 1350-1351.
- Sackett m.fl., (1996).
- Sackett, D. I., Straus, S. E., Richardson, W. S., Rosenberg, W., & Haynes, R. B. (2000). Evidence-based medicine: How to practice and teach EBM (2nd edition). Edinburgh: Churchill Livingstone.
- Sackett, D. L., Rosenberg, W. M., Gray, J. A., Haynes, R.B. & Richardson, W. S. (1996). Evidence based medicine: what it is and what it isn't. British Medical Journal, 312, 71.
- Shadish, W. R., Clark, M. H., & Steiner, P. M. (2008). Can Nonrandomized Experiments Yield Accurate Answers? A Randomized Experiment Comparing Random and Nonrandom Assignments. Journal of the American Statistical Association, 103, 1334-1344.
- Soydan, H. (2009). Evidence-based medicine and knowledge dissemination, translation, and utilization: Challenges of getting evidence-based treatments to patient care and service delivery. Journal of Evidence-based Medicine, 2, 143-149.
- Thyer, B. A. (2006). What is evidence-based practice? I A. Roberts & K. Yeager (Red), Foundations of evidence-based social work practice (s. 35-46). Oxford: Oxford University press.

## Referenser till vårdprogrammet och bilaga 2–5

### Intervjuer och frågeformulär, länkar

Adolescent Drug Abuse Diagnosis (ADAD, EuroADAD)

<http://www.adadnatverket.se/ADAD.htm>

Audit <http://www.slso.sll.se/upload/Affektiva/Audit%20ny.pdf>,

<http://www.escreen.se/>

BCFPI (Brief Child and Family Phone Interview)

<http://www.bcfpi.com/bcfpi/downloads.html>,

[http://www.med.lu.se/klinvetlund/barn\\_och\\_ungdomspsykiatri/forskargrupper/oevriga\\_forskare](http://www.med.lu.se/klinvetlund/barn_och_ungdomspsykiatri/forskargrupper/oevriga_forskare).

CBCL (Child Behaviour Checklist), Barn och ungdomspsykiatri. Umeå universitet, [bruno.hagglof@psychiat.umu.se](mailto:bruno.hagglof@psychiat.umu.se) eller [birgitta.backlund@psychiat.umu.se](mailto:birgitta.backlund@psychiat.umu.se)

DAWBA (Development and Well-Being Assessment)

<http://www.dawba.com/py/doc/flsve.py>

Dudit

<http://www.slso.sll.se/upload/Administrationen/DUDIT%20version%202.pdf>, <http://www.escreen.se/>

EARL-20 B/G (pojkar/flickor, <http://www.kbt-tjanst.se/page005.aspx>

ESTER, <http://www.ester-bedomning.se/>

Frågor om familjen, Familjeklimat  
<http://www.familjeforum.com/index.php?p=1>  
HoNOSCA (Health of Nation Outcome Scale for Children and Adolescents)  
<http://www.liv.ac.uk/www/honosca/Home.htm>  
K-SADS (Kiddie Schedule for Affective Disorders and Schizophrenia)  
<http://hitta.vgregion.se/?q=k-sads&filter=scope:VGRegion&scoped=true>.  
LITE, LYLES <http://www.lio.se/Verksamheter/Narsjukvarden-i-centrala-Ostergotland/BUP-kliniken-i-Linkoping/BUP-Elefanten/>  
MADRS <http://deprimerad.net/for-lakare/stod-i-behandlingen/skattningsskalor/madsr-bedomarskattning/>  
Nordiskt formulär 5-15 <http://www.5-15.org/Login.aspx> <http://www.5-15.se/Start.do>.  
SAVRY <http://savry.se/>  
SDQ <http://www.sdqinfo.org>  
SNAP-IV <http://www.barnneuropsyk.net/> sök på formulär

## Litteratur

- Almqvist K & Broberg A. Barn som bevittnat våld mot mamma. Forskningsrapport Göteborgs stad. Göteborg, 2004.
- Andershed H, Andershed A-K. Normbrytande beteende i barndomen. Vad säger forskningen? Stockholm: Gothia; 2005.
- Andreassen, T. Institutionsbehandling av ungdomar – vad säger forskningen? Stockholm: Gothia; 2003.
- Andreassen, T. MultifunC - Manual för utredningsarbete, Manual för pedagogiskt arbete, Manual för behandlingsarbete på institution, Manual för familjearbete och eftervård. Stockholm; 2005.
- Andreassen, T. Forskningsbaserte institusjoner i barnevernet – fra idé til realitet. In: Befring E, Frønes, I, Sørli, M. , editor. Sårbare unge – nye perspektiv og tilnærminger. Oslo?: Gyldendal; 2010.
- Angold A, Costello E, Erkanli A. Comorbidity. Journal of child Psychology and Psychiatry 1999;40:57-87
- Annerbäck E-M. ”Child Physical Abuse - Characteristics, Prevalence, Health and Risk-taking”. Akademisk avhandling, Avdelningen för barnpsykiatri, Hälsouniversitetet; Linköping, 2011.
- Annerbäck, E-M, Sahlqvist L, Svedin, CG, Wingren, G, and Gustafsson, PA. Child Physical Abuse and concurrence of other types of Child Abuse - associations with health and risk behaviors. Child Abuse & Neglect 2011 in press.
- Annerbäck, E-M, Wingren, G, Svedin, CG and Gustafsson, PA. Pre-valence and characteristics of child physical abuse in Sweden – findings from a population-based youth survey, ActaPaediatrica 2010;99:1229-1236.
- Augimeri L, Koegl C J, Webster C D & Levene K S. Early Assessment Risk List for Boys (EARL.20 B). Toronto, Ontario: Earls court Child and Family Center; 2001.
- Axberg U, Johansson Hanse J, Broberg AG. Parents' description of conduct problems in their children - a test of the Eyberg Child Behavior Inventory (ECBI) in a Swedish sample aged 3-10. Scand J Psychol. 2008;49:497-505.

- Axberg U. Assessing and treating three to twelve-year olds displaying disruptive behaviour problems. Avhandling. Psykologiska Institutionen, Göteborgs Universitet; 2007.
- Bailey S. & Scott S. Juvenile Delinquency. In Rutter M. Rutter's child and Adolescent Psychiatry 5 ed. sid. 1106-1124. Londin: Wiley-Blackwell; 2008.
- Banaschewski T et al. Long-acting medications for the hyperkinetic disorders. A systematic review and European treatment guideline. European Child & Adolescent Psychiatry. 2006;15:476-95.
- Barnes et al. 2008 Nurse-Family Partnership Programme: First Year Pilot Sites Implementation in England Pregnancy and the Post-partum Period. <http://www.wavetrust.org/intervention/details/nurse-family-partnership>
- Barn som utmanar. *Barn med ADHD och andra beteendeproblem*, av Björn Kadesjö, <http://www.socialstyrelsen.se/publikationer2010/2010-3-6>
- Biederman J, Monuteaux MC, Spencer T, Wilens TE, Faraone SV. Do Stimulants Protect Against Psychiatric Disorders in Youth With ADHD? A 10-Year Follow-up Study. Pediatrics 2009;124:71-78.
- Blader JC, Schooler NR, Jensen PS, Pliszka SR, Kafantaris V: Adjunctive divalproex versus placebo for children with ADHD and aggression refractory to stimulant monotherapy. Am J Psychiatry 2009;166:1392–1401.
- Blair J. & Viding E. (2008) Psychopathy. In Rutter M. Rutter's child and Adolescent Psychiatry 5 ed. sid. 852-863. Londin: Wiley-Blackwell; 2008.
- Bogat GA, DeJonghe E, Levendosky AA, Davidson WS, von Eye A. Trauma symptoms among infants exposed to intimate partner violence. Child Abuse Negl 2006;30:109-25.
- Borduin CM, Schaeffer CM, Heiblum N. A randomized clinical trial of multisystemic therapy with juvenile sexual offenders: effects on youth social ecology and criminal activity. J Consult Clin Psychol 2009;77:26-37.
- Brannigan R., Schackman B., Falco M. & Millman R. (2004). The Quality of Highly Regarded Adolescent Substance Abuse Treatment Programs. Arch Pediatrics Adolescent Med 2004;158: 904-909.
- Broberg A et al. Stöd till barn som upplevt våld mot mamma – preliminära resultat från en nationell utvärdering. Psykologiska Institutionen, Göteborgs universitet, Göteborg 2010. [http://www.gu.se/digitalAssets/1325/1325174\\_st--d-till-barn-som-upplevet-v--ld-mot-mamma.pdf](http://www.gu.se/digitalAssets/1325/1325174_st--d-till-barn-som-upplevet-v--ld-mot-mamma.pdf)
- Bronfenbrenner U. Ecology of the family as a context for human development: Research perspectives. Developmental Psychology 1986;22:723-742.
- Bruun RD & Budman CL. Paroxetine treatment of episodic rages associated with Tourette's disorder. Journal of Clinical Psychiatry 1998;59:581-584.
- BRÅ. Brottsutvecklingen i Sverige fram till år 2007 [www.bra.se/go/297](http://www.bra.se/go/297)
- BRÅ. FOKUS UNG. Apropå nr 4 2009. [http://www.bra.se/extra/pod/?action=pod\\_show&id=1012&module\\_instance=12](http://www.bra.se/extra/pod/?action=pod_show&id=1012&module_instance=12)
- Buitelaar J. K., van der Gaag R. J., Cohen-Kettenis P. & Melman C. T. A randomized controlled trial of risperidone in the treatment of aggression

- in hospitalized adolescents with subaverage cognitive abilities. *Journal of Clinical Psychiatry* 2001;62:239-248.
- BUP Elefanten Linköping. <http://www.lio.se/Verksamheter/Narsjukvarden-i-centrala-Ostergotland/BUP-kliniken-i-Linkoping/BUP-Elefanten/>
- BUP Stockholm Riktlinjer till stöd för bedömning och behandling – IV – Trotsyndrom och uppförandestörning 2010.
- BUP Västra Götaland vårdprogram <http://www.vgregion.se/sv/Vastra-Gotalandsregionen/startsida/Vard-och-halsa/Sa-styrs-varden/test/Enheter-och-medarbetare/Strategisk-utvecklingsenhet/Vardprogram/Antagna-varldprogram/>
- BUP Östergötland vårdprogram. <http://www.lio.se/templates/Page.aspx?id=20798>
- Campbell M., Adams P. B., Small A. M., Kafantaris V., Silva R. R., Shell J. et al. Lithium in hospitalized aggressive children with conduct disorder: a double-blind and placebo-controlled study. *Journal of the American Academy of Child & Adolescent Psychiatry* 1995;34:445-453.
- Cederblad M, Dahlin L, Hagnell O, Hansson K. Coping with life span crises in a group at risk of mental and behavioral disorders: from the Lundby study. *Acta Psychiatr Scand* 1995;91:322-30
- Chamberlain P. Community-based residential treatment for adolescents with conduct disorder. In T.H. Ollendick & R. J. Prinz (Eds.) *Advances in clinical child psychology* (Vol. 18, pp 63-90). New York, NY: Plenum; 1996.
- Conger RD, Ge X, Elder H, Lorentz F O, Simmons L. Economic Stress, coercive family process and developmental problems of adolescents. *Child Development* 1994;65:541 – 561.
- Connor D. Aggression & Antisocial Behavior in Children and Adolescents.
- DeLong G. R. & Aldershof A. L. Long-term experience with lithium treatment in childhood: correlation with clinical diagnosis. *Journal of the American Academy of Child & Adolescent Psychiatry* 1987;26:389-394.
- DeLong G. R. & Aldershof A. L. Long-term experience with lithium treatment in childhood: correlation with clinical diagnosis. *Journal of the American Academy of Child & Adolescent Psychiatry* 1987;26:389-394.
- Dishion T Shaw D, Connell A et al. The family Check up with high-risk indigent families: Preventing problem behaviour by increasing parents positive behaviour support in early childhood. *Child Development* 2008;79:1395-1413.
- Doyle A. E, Biederman J., Seidman L. J., Weber W. & Faraone S. V. Diagnostic efficiency of neuropsychological test scores for discriminating boys with and without attention deficit-hyperactivity disorder. *Journal of Consulting and Clinical Psychology* 200;68:477-488.
- DSM-V 2011 <http://www.dsm5.org/Pages/Default.aspx>
- Enebrink P m fl 2011. SBU rapport. Medicinska och psykologiska metoder för att förebygga sexuella övergrepp mot barn - En systematisk litteraturoversikt. <http://www.sbu.se/sv/Publicerat/Gul/Sexuella-overgrepp-mot-barn-/>
- Enebrink P, Långström N, Gumpert CH. Predicting aggressive and disruptive behavior in referred 6- to 12-year-old boys: prospective validation of the EARL-20B risk/needs checklist. *Assessment*. 2006;13:356-67.

- Farrington D P. Childhood origins of anti social behaviour. *Clinical Psychology and Psychotherapy* 2005;12:177 – 190.
- Findling R. L., McNamara N. K., Branicky L. A, Schluchter M. D., Lemon E. & Blumer J. L. A double-blind pilot study of risperidone in the treatment of conduct disorder. *Journal of the American Academy of Child and Adolescent Psychiatry* 2000;39:509-516.
- Fombonne E. , Woster G. Cooper V. Harrington R. Rutter M. The Maudsley long-term follow-up of child and adolescent depression: 2. Suicidality, criminality and social dysfunction in adulthood. *The British journal of psychiatry* 2001;179:218 -223
- Freidenfelt Liljeberg J., Eklund J. M., Väfors Fritz M., af Klinteberg B. Poor School Bonding and Delinquency over Time: Bidirectional Effects and Sex Differences. *Journal of Adolescence* 2011;34:1-9.
- Gillberg C, Melander H, von Knorring AL, Janols LO, Thernlund G, Häggglöf B, Eidevall-Wallin L, Gustafsson P, Kopp S. Long-term stimulant treatment of children with attention-deficit hyperactivity disorder symptoms. A randomized, double-blind, placebo-controlled trial. *Arch Gen Psychiatry.* 1997;54:857-64.
- Gleason MM et.al. Psychopharmacological treatment for very young children: contexts and guidelines. *J Am Acad Child Adolesc Psychiatry.* 2007;46:1532-72. Review.
- Greenwald R, Rubin A. Brief assessment of children's post-traumatic symptoms: Development and preliminary validation of parent and child scales. *Res Soc Work Practice* 1999;9:61–75.
- Grundbok BBIC, Socialstyrelsen 2006 sid 20-21, Bronfenbrenners ekologiska modell.
- Gustafsson J.-E., Allodi M. Westling Alin Åkerman B., Eriksson C., Eriksson L. Fischbein S., Granlund M., Gustafsson P. Ljungdahl S., Ogden T., Persson R.S. (2010). School, Learning and Mental Health. A systematic review. Stockholm: The Royal Swedish Academy of Sciences, The Health Committee.  
<http://www.buph.se/skola/artiklarskola/kunskapsoversiktpublicerad.5.2a0ff5f12801fe5f27800010862.html>
- Hamby S, Finkelhor D, Turner H, Ormrod R. The overlap of witnessing partner violence with child maltreatment and other victimizations in a nationally representative survey of youth. *Child Abuse & Neglect* 2010;34:734-41.
- Hansson K. & Jarbin H. A new self-rating questionnaire in Swedish for measuring expressed emotion. *Nordic Journal of Psychiatry* 1997;51:287-297.
- Harrison P., Fulkerson J. & Beebe T. DSM-IV Substance Use Disorder Criteria for Adolescents: A Critical Examination Based on a Statewide School Survey. *American Journal of Psychiatry* 1998;155:486-492.
- Hawkins J. D., Catalano R. F. & Miller J. Y. Risk and protective factors for alcohol and other drugproblems in adolescence and early adulthood: Implications for substance abuse prevention. *Psychological Bulletin* 1992;112:64-105.
- Hedtjärn G, Hultmann O, Broberg AG. Var femte mamma till barn i BUP-vård hade utsatts för våld. *Lakartidningen* 2009;106:3246-7.

- Hill J. Biological, psychological and social processes in the conduct disorders. *Journal of Child Psychology and Psychiatry* 2002;43:133-164.
- Hollari S., Kvinnors brottslighet, i BRÅ, Brottsutvecklingen i Sverige fram till år 2007, Brottsförebyggande rådet: Stockholm. [www.bra.se/go/297](http://www.bra.se/go/297)
- Holmqvist R, Hill T, Lang A. Ger ART bättre behandlingseffekter? Utvärdering av metoder på tre ungdomshem. Stockholm: Statens institutionsstyrelse; 2005. Rapport 2005:1
- Howlin P. Autism : preparing for adulthood. London: Routledge; 1997.
- Hultman Boye T, Forster P, Livheim F. Ungdomars, ledares och föräldrars upplevelser av ”KOMET för föräldrar till ungdomar 12-18 år” Uppsala Universitet; 2006.
- Implementeringen av MultifunC. Socialstyrelsen 2011. <http://www.socialstyrelsen.se/publikationer2011/2011-6-16>
- Johnson JG, Cohen P, Smailes E, Kasen S, Oldham JM, Skodol AE, Brook JS. Adolescent personality disorders associated with violence and criminal behavior during adolescence and early adulthood. *Am J Psychiatry*. 2000;157:1406-12.
- Karlberg M 2011. Skol-Komet: Tre utvärderingar av ett program för beteendeorienterat ledarskap i klassrummet <http://uu.diva-portal.org/smash/record.jsf?pid=diva2:373726>
- Kasen S., Cohen P., Skodol A. E., Johnson J. G., Smailes E. & Brook J. S. Childhood depression and adult personality disorder: alternative pathways of continuity. *Archives of General Psychiatry* 2001;58:231-236.
- Kazdin AE. Dropping out of child therapy: Issues for research and implication for practise. *Clinical Child Psychology and Psychiatry* 1996;1:133-156.
- Kazdin Alan E., T. Siegel and D. Bass. Cognitive problem-solving skills training and parent management training in the treatment of antisocial behaviour in children. *Journal of Consulting and Clinical Psychology* 1992;60:733-747.
- Kyhle Westermarck P. MTFC – en intervention för ungdomar med beteende. Akademisk avhandling Lund; 2009.
- Lardén M. Från Brott till genombrott. Kognitiv beteendeterapi för tonåringar med psykosociala problem. Stockholm, Sverige: Gothia Förlag; 2009.
- Lardén, M. (2010). "Behandlingsprogrammet ART tas ur bruk." from <http://www.kriminalvarden.se/sv/Medier/Nyheter/2010/Behandlingsprogrammet-ART-tas-ur-bruk/>.
- Larsson B, Frisk M. Social competence and emotional/behaviour problems in 6-16 year-old Swedish school children. *European Child & Adolescent Psychiatry* 1999;8:24-33.
- Larsson G. Bättre insatser vid missbruk och beroende. Kapitel 23.2, Ungdomar och missbruk. SOU 2011:35. <http://www.regeringen.se/sb/d/14017/a/167105>
- Leibenluft E. Severe Mood Dysregulation, Irritability, and the Diagnostic Boundaries of Bipolar Disorder in Youths. *Am J Psychiatry* 2010;168:129-42.
- Lochman J. E. & Wells K. C. A social-cognitive intervention with aggressive children: Prevention effects and contextual implementation issues. In R. Dev. Peters & R. J. McMahon (Eds.) *Prevention and early interven-*

- tion: Childhood disorders, substance use, and delinquency (111-143). Newbury Park, CA: Sage; 1996.
- Loeber R. & Farrington D. P. (red.). Serious and violent juvenile offenders: Risk factors and successful intervention. Thousands Oaks, CA, USA: Sage Publications; 1998.
- Lynskey M. T. & Hall W. Attention deficit hyperactivity disorder and substance use disorders: Is there a causal link? *Addiction* 2001;96:815-822.
- Långström N. Att bedöma risk för återfall bland antisociala unga. En kunskapsöversikt. Rapport. Stockholm: Statens Institutionsstyrelse (SIS); 2003.
- Långström N. Child neuropsychiatric diagnoses: A review of associations with delinquency and substance use. I Corrado R. R., Roesch R. & Hart S. D. (red.) Multi-problem violent youth: A foundation for comparative research on needs, interventions, and outcomes, (s. 91-104). Amsterdam, the Netherlands: IOS Press; 2002.
- Långström N. Unga som begår sexbrott: En forskningsöversikt. Stockholm: Karolinska Institutet 2000-36-002
- Långström N., Cederblad M. & Gustafsson PA. Barn och ungdomar med antisocialt eller aggressivt utagerande. Kliniska riktlinjer för bedömning och handläggning inom barn- och ungdomspsykiatri. Linköping: Svensk BUP-förenings riktlinjer för handläggning av barn med utagerande; 2003.
- Malone R. P., Delaney M. A., Luebbert J. F., Cater J. & Campbell M. A double-blind placebo-controlled study of lithium in hospitalized aggressive children and adolescents with conduct disorder. *Archives of General Psychiatry* 2000;57:649-654.
- Mannuzza S, Klein RG, Truong NL, Moulton JL 3rd, Roizen ER, Howell KH, Castellanos FX. Age of methylphenidate treatment initiation in children with ADHD and later substance abuse: prospective follow-up into adulthood. *Am J Psychiatry*. 2008;165:604.
- McCormick M. C., Brooks-Gunn J., Buka S. L. et al. Early intervention in low birth weight premature infants: results at 18 years of age for the Infant Health and Development Program. *Pediatrics* 2006;117:771-780.
- Metodguiden bedömningsmetoder  
<http://www.socialstyrelsen.se/evidensbaseradpraktik/bedomningsinstrument/barnochfamilj>
- Metodguiden insatser  
<http://www.socialstyrelsen.se/evidensbaseradpraktik/insatser/barnochfamilj>
- Minozzi S., Amato L., Davoli M. (2009a). Maintenance treatments for opiate dependent adolescents. *Cochrane Database of Systematic Reviews* 2009, Issue 2. Art. No: CD007210.
- Minozzi S., Amato L., Davoli M. (2009b). Detoxification treatments for opiate dependent adolescents. *Cochrane Database of Systematic Reviews* 2009, Issue 2. Art. No CD006749.
- Moffitt T & Scott S (2008) Conduct disorder of childhood and adolescence. In Rutter M. Rutter's child and Adolescent Psychiatry 5 ed. sid. 543-564. London: Wiley-Blackwell; 2008.

- Moffitt T, Caspi A, Rutter M. Sex Differences in Antisocial Behaviour: Conduct Disorder, Delinquency, and Violence in the Dunedin Longitudinal Study. New York: Cambridge University Press; 2001.
- Moffitt TE, Caspi A. Childhood predictors differentiate life-course persistent and adolescence-limited antisocial pathways among males and females. *Dev Psychopathol* 2001. 13(2): 355-75.
- Moffitt TE. Adolescence-limited and life-course-persistent antisocial behaviour: a developmental taxonomy. *Psychological Review* 1993;100:674-701.
- Molina BS, Hinshaw SP, Swanson JM, Arnold LE, Vitiello B, Jensen PS, Epstein JN, Hoza B, Hechtman L, Abikoff HB, Elliott GR, Greenhill LL, Newcorn JH, Wells KC, Wigal T, Gibbons RD, Hur K, Houck PR; MTA Cooperative Group. The MTA at 8 years: prospective follow-up of children treated for combined-type ADHD in a multisite study. *J Am Acad Child Adolesc Psychiatry* 2009;48:484-500.
- Moretti M, Obsuth I. Effectiveness of an attachment-focused manualized intervention for parents of teens at risk for aggressive behaviour: The Connect Program. *Journal of Adolescence* 2008;32:1347–1357.
- Morgan AB & Lilienfeld SO. A meta-analytic review of the relation between antisocial behavior and neuropsychological measures of executive function. *Clinical Psychology Review* 2000;20:113-136.
- Neander K, Engström I. Parents' assessment of parent-child interaction interventions--a longitudinal study in 101 families. *Child Adolesc Psychiatry Ment Health*. 2009;3:8.
- Nevels RM, Dehon EE, Alexander K, Gontkovsky ST. Psychopharmacology of aggression in children and adolescents with primary neuropsychiatric disorders: a review of current and potentially promising treatment options. *Exp Clin Psychopharmacol*. 2010;18:184-201.
- NIAAA (Modul 10A) National Institute on Alcohol Abuse and Alcoholism Adolescents and Treatment of Alcohol Use Disorders (NIAAA). <http://pubs.niaaa.nih.gov/publications/social/Module10AAdolescents/Module10A.html>
- NICE (National Institute for Health and Clinical Excellence). Antisocial personality disorder: treatment, management and prevention jan 2009 <http://guidance.nice.org.uk/CG77>
- Nigg JT. Temperament and developmental psychopathology. *Journal of Child Psychology and Psychiatry* 2006;47:395-422.
- Nilsson D 2002. Barn och ungdomar med posttraumatiskt stressyndrom och/eller dissociativa tillstånd. <http://www.lio.se/Verksamheter/Narsjukvarden-i-centrala-Ostergotland/BUP-kliniken-i-Linkoping/Vardprogram-Barn--och-ungdomspsykiatri/>
- NTA (2009). Young People's specialist substance misuse treatment: Exploring the evidence National Treatment Agency for Substance Misuse (NTA). [http://www.nta.nhs.uk/uploads/yp\\_exploring\\_the\\_evidence\\_0109.pdf](http://www.nta.nhs.uk/uploads/yp_exploring_the_evidence_0109.pdf)
- Obsuth I MA,1 Moretti MM PhD,1 Holland R MD FRCPC,2 Braber K,2 and Cross S. Conduct Disorder: New Directions in Promoting Effective

- Parenting and Strengthening Parent-Adolescent Relationships. *J Can Acad Child Adolesc Psychiatry* 2006;15:6-15.
- Olds D.L., Hill P. O'Brien R. et al. Taking preventive intervention to scale: The Nurse-Family Partnership. *Cognitive and Behaviour Practice* 2003;10:278-290.
- Olds D.L., Kitzman H., Cole R. et al. Effects of nurse home-visiting on maternal life course and child development: age 6 follow-up results of a randomized trial. *Pediatrics* 2004;114:1550-1559.
- Olsson E. The Role of Relations: Do Disadvantaged Adolescents Benefit More from High-Quality Social Relations? *Acta Sociologica*, 2009; 52,: 263-286
- Olsson G, von Knorring A-L. Beck's depression inventory as a screening instrument for adolescent depression in Sweden: gender differences. *Acta Psychiatrica Scandinavia* 1997;95:277-282
- Olsson G, von Knorring A-L. Depression among Swedish adolescents measured by the self rating scale Center for Epidemiology Studies - Depression Child (CES-DC). *European Child & Adolescent Psychiatry* 1997;6:81-87.
- Patterson G. *Coercive Family Process*. Eugene, OR: Castalia; 1982.
- Pavuluri M, Resko S. *What Works for Bipolar Kids: Help and Hope for Parents*. Guilford, London; 2008.
- PM om behandling av missbruk från Beroendekliniken (2009), Universitetssjukhuset i Linköping kan beställas genom [Birgitta.Sjoberg@lio.se](mailto:Birgitta.Sjoberg@lio.se)
- Polzer J, Bangs ME, Zhang S, Dellva MA, Tauscher-Wisniewski S, Acharya N, Watson SB, Allen AJ, Wilens TE. Meta-analysis of aggression or hostility events in randomized, controlled clinical trials of atomoxetine for ADHD. *Biol Psychiatry* 2007;61:713-9.
- Projekt Pinocchio SKL i samarbete med IMS Socialstyrelsen 2010. <http://brs.skl.se/skpubl/index.jsp>, sök på Pinocchio.
- Rifkin A., Karajgi B., Dicker R., Perl E., Boppana V., Hasan N. et al. Lithium treatment of conduct disorders in adolescents. *American Journal of Psychiatry* 1997;154:554-555.
- Salomonsson B & Sandell R. A RCT of mother-infant psychoanalytic treatment. *Infant Mental Health* 2011; 32:207–231.
- Sameroff AJ. A Unified Theory of Development: A Dialectic Integration of Nature and Nurture. *Child Development* 2010;81:6–22.
- Sameroff AJ. Developmental systems: context and evolution. In W. Kessen (Ed.) *Handbook of child psychology* 3<sup>rd</sup> Ed: Vol 1 History, theories and methods (pp 238-294). New York: Wiley; 2006.
- Sanders M.R., Markie-Dadds C., Tully L. & Bor W. The Triple P- Positive Parenting Program: A comparison of enhanced, standard, and self directed behavioral family intervention for parents of children with early onset conduct problems. *Journal of Consulting and Clinical Psychology* 2000;68:624-640.
- SBU 2010:202 Program för att förebygga psykisk ohälsa hos barn. <http://www.sbu.se/sv/Publicerat/Gul/Program-for-att-forebygga-psykisk-ohalsa-hos-barn/>

- Scheepers FE, Buitelaar JK, Matthys W. Conduct Disorder and the specifier callous and unemotional traits in the DSM-5. *Eur Child Adolesc Psychiatry* 2010;20:89-93.
- Scheffler RM, Brown TT, Fulton BD, Hinshaw SP, Levine P, Stone S. Positive association between attention-deficit/hyperactivity disorder medication use and academic achievement during elementary school. *Pediatrics*. 2009;123: 1273-9.
- SiS 2011. Uppdrag att förstärka arbetet med vuxna missbrukare och ungdomar som har varit, är eller riskerar att bli utsatta för prostitution eller människohandel för sexuella ändamål. <http://www.statinst.se/press/pressmeddelanden/en-av-tre-har-fatt-fraga-om-sex-mot-ersattning/>
- SiS och Landstingsförbundet, 2001. Kartläggning av psykiatrisk vård för ungdom -, SiS projekt U 98-3008). [http://www.statinst.se/documents/publikationer/ovriga-publikationer/Rapport\\_final.pdf](http://www.statinst.se/documents/publikationer/ovriga-publikationer/Rapport_final.pdf)
- Skollagen SFS 2010: 800.
- Skolverket 2011. Kartläggning av utvärderade program mot mobbning <http://www.skolverket.se/sb/d/2474>
- Skärstrand E. Prevention of alcohol and drug problems among adolescents: Evaluating a Swedish version of the Strengthening Families Program. Akademisk avhandling 2010. Stockholm: Karolinska Institutet; 2010.
- Socialstyrelsen. Social rapport 2010. <http://www.socialstyrelsen.se/publikationer2010/2010-3-11>
- SOU 2010:95. Se tolka och agera. Allas rätt till en likvärdig utbildning. Slutbetänkande från Utredningen om utsatta barn i skolan. <http://www.regeringen.se/sb/d/12492/a/157786>
- Stattin H. & Magnusson D. Stability and change in criminal behaviour up to age 30: Findings from a prospective, longitudinal study in Sweden. *British Journal of Criminology*, 1991;31:327-346.
- Stattin H. Skolan blir en trygg hamn i utsatta områden. Örebro, 2011 <http://www.oru.se/Nyheter/Forskningsnyheter/Skolan-blir-en-trygg-hamn-i-utsatta-omraden/>
- Stormshak E, Dishion T, Light J, Yasui M. Implementing family-centered interventions within the public middle school: linking service delivery to change in student problem behavior. *J Abnorm Child Psychol* 2005;33:723-33.
- Stormshak EA, Dishion TJ. A school-based, family-centered intervention to prevent substance use: the family check-up. *Am J Drug Alcohol Abuse* 2009;35:227-32.
- Stroufe L. A. , Egeland B, Carlson EA, Collins WA. The development of the person. The Minnesota study of risk and adaption from birth to adulthood. New York: Guilford; 2005.
- Stubbs J., Crosby L., Forgatch M. S. & Capaldi D. M. (1998). Family and peer process code: A synthesis of three Oregon Social Learning Center behavior codes (Training manual.). Available from Oregon Social Learning Center; 160 East 4th Avenue, Eugene, OR 97401.
- Sydsjö G., Wadsby M. & Svedin C.G. Psychosocial risk mothers: early mother-child interaction and behavioural disturbances in children at 8

- years of age. *Journal of Reproductive and Infant Psychology* 2001;19:135–145.
- Sørli M-A, Nordahl T. Problematferd i skolen. Hovedfunn, forklaringer og pedagogiske implikasjoner. Norsk institutt for forskning om oppvekst, velferd og aldring: Oslo; 1998.
- Tarren-Sweeney M, Vetere A (Eds). Mental health services for children in care, and those adopted from care, Special Issue. *Clin Child Psychol Psychiatry* October 2010;15:467-626.
- Taylor CA, Lee SJ, Guterman NB, Rice JC. Use of spanking for 3-year-old children and associated intimate partner aggression or violence. *Pediatrics* 2010b;126:415-24.
- Taylor CA, Manganello JA, Lee SJ, Rice JC. Mothers' spanking of 3-year-old children and subsequent risk of children's aggressive behavior. *Pediatric* 2010a;125:e1057-65.
- Taylor E, Döpfner M, Sergeant J, Asherson P, Banaschewski T, Buitelaar J, Coghill D, Danckerts M, Rothenberger A, Sonuga-Barke E, Steinhausen H, Zuddas A. European clinical guidelines for hyperkinetic disorder - first upgrade. *European Child & Adolescent Psychiatry* 2004;13:7-36.
- Tengström A. (2000). Mental illness and criminal behavior. Individual characteristics related to criminal conduct among violent offenders with schizophrenia. Doktorsavhandling. Stockholm, Sweden: Karolinska Institutet. ISBN 91-628-4130-0.
- Toupin J., Dery M., Pauze R., Mercier H. & Fortin L. Cognitive and familial contributions to conduct disorder in children. *Journal of Child Psychology and Psychiatry* 2000;41:333-344.
- Wadsby M, Arvidsson E. Eight years after – a follow-up study of mothers and children at psychosocial risk who received early treatment: does early intervention leave its mark? *Child & Family Social Work* 2010;15:452–460.
- Wadsby M, Svedin CG, Sydsjö G. Children of mothers at psychosocial risk growing up: a follow up at the age of 16. *J Adolesc.* 2007;30:147-64.
- Wagner E. Developmentally Informed Research on the Effectiveness of Clinical Trials: A Primer for Assessing How Developmental Issues May Influence Treatment Responses Among Adolescents With Alcohol Use Problems. *American Academy of Pediatrics* 2008;121:S337-S347
- Waldenström U et al. Föräldrautbildning under graviditet måste omprövas. *Läkartidningen* 2011;108:979-983.
- Waxmonsky J. & Wilens T. Pharmacotherapy of Adolescent Substance Use Disorders: A review of the Literature *Journal of Child and Adolescent Psychopharmacology* 2005;15:810-825.
- Webster C. D., Douglas K. S., Eaves D. & Hart S. D. (1997). HCR-20. Assessing risk for violence. Version 2. Vancouver, Canada: Simon Fraser University; Mental Health, Law, and Policy Institute. Svensk översättning Belfrage H. & Fransson G. HCR-20: Bedömning av risk för framtida våld. Växjö, Sweden: Landstinget Kronoberg, FoU-enheten; 2009.
- Webster-Stratton C, Reid M.J, Hammond M. Treating children with early onset conduct problems: Intervention outcomes for parent, child, and teacher training. *Journal of Clinical Child and Adolescent psychology* 2004;33:105-24.

- Webster-Stratton C., Reid J. M. Treating Conduct Problems and Strengthening Social and Emotional Competence in Young Children (Ages 4–8 Years): The Dina Dinosaur Treatment Program. *Journal of Emotional and Behavioural Disorders* 2003;11:130-143.
- Weinberg N. Z., Rahdert E., Colliver J. D. & Glantz M. D. Adolescent substance abuse: a review of the past 10 years. *Journal of the American Academy of Child & Adolescent Psychiatry* 1998;37:252-261.
- Viding E. , Blair J. R, Moffit T. E & Plomin R. Evidence for substantial genetic risk for psychopathy in 7 year olds. *Journal for Clinical Psychology & Psychiatry* 2005;46:592-597
- Wilens T. E., Faraone S. W., Biederman J. & Gunawardene S. Does stimulant therapy of Attention-Deficit/Hyperactivity Disorder beget later substance abuse? A meta-analytic review of the literature. *Pediatrics* 2003;111:79-185.
- Wilens TE. *Straight Talk About Psychiatric Medications For Kids*. New York: Guilford; 2009.
- Winters K. Assessment of alcohol and other drug use behaviors among adolescents. In Allen J. & Wilson V. (Eds). *Assessing Alcohol Problems: A Guide for Clinicians and Researchers*, Second Edition. U.S Department of Health and Human Services, National Institute on Alcohol Abuse and Alcoholism; 2003.
- Winters K. Assessment of alcohol and other drug use behaviors among adolescents. In Allen J. & Wilson V. (Eds). *Assessing Alcohol Problems: A Guide for Clinicians and Researchers*, Second Edition. U.S Department of Health and Human Services, National Institute on Alcohol Abuse and Alcoholism; 2003.
- Wyatt Kaminski J, Valle LA, Filene JH; Boyle. A Meta-analytic Review of Components Associated with Parent Training Program Effectiveness. *J Abnorm Child Psychol* 2008;36:567–589.
- Östberg M, Hagekull B, Wettergren S. A measure of parental stress in mothers with small children: dimensionality, stability and validity. *Scandinavian Journal of Psychology* 1997; 38:199-208.